



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/764,139

01/22/2004

Paul P. Duron

6079

7590 12/28/2006
PAUL P. DURON
4633 CAMDEN DRIVE
CORONA DEL MAR, CA 92625

EXAMINER

FREAY, CHARLES GRANT

ART UNIT

PAPER NUMBER

3746

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
----------------------------------------	-----------	---------------

30 DAYS

12/28/2006

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---------------------------------------------------	---------------------

10 1764, 139

EXAMINER

ART UNIT	PAPER
----------	-------


20061218

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Please see the attached Notice of Non-Responsive Amendment.


Charles G Freay
Primary Examiner
Art Unit: 3746

Notice of Non-Responsive Amendment

The reply filed on October 27, 2006 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): the amendment fails to meet the requirements of 37 CFR 1.121 because a listing of all the claims is not present. The listing of the claims provided with the amendment begins at claim 13 (see below for a suggestion as to the correct form). Also, the examiner notes that arguments addressing the rejections set forth in the office action of August 3, 2006 and specifically pointing out how the newly presented claims define over the prior art have not been provided. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

The examiner suggest beginning the listing of the claims as follows:

"Claims 1-12 (Canceled).


Claim 13 (New).

A double-acting reciprocating..."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles G. Freay whose telephone number is 571-272-4827. The examiner can normally be reached on Monday through Friday 8:30 A.M. to 5:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ehud Gartenberg can be reached on 571-272-4828. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Charles G Freay
Primary Examiner
Art Unit 3746

CGF
December 18, 2006